

Technical Bulletin

Model
911C2/C4

Group
4

Subject: 17 Inch Wheel Approval

Part Identifier
4405

Number
9106

ATTENTION: Service Manager/Service Technician

Models Affected: 911 Carrera 2 and 911 Carrera 4

Concern: Installing 17 inch wheels on 911 Carrera 2/4.


General Information: The following 17 inch rim /tire sizes and tire makes are presently approved for all 911 Carrera 2/4 models.

Tire Size	Rim Size	Offset	Remarks
Front Axle			
205/50 ZR 17	7J x 17 AH	55mm	
Rear Axle			
255/40 ZR 17	8J x 17 AH	52mm	No snow chain clearance

Note: Rim size 9J x 17 AH ('91 911 Turbo rear axle) is **not** approved for 911 Carrera 2/4.

Approved tire makes and types:

Bridgestone Expedia S-01 N0
Michelin MXX 3 N0
Pirelli P700-Z N0
Yokohama A-008 P N0



Tire Pressure: Summer tires "17 inch"

Front axle: 2.5 Bar (36 psi)

Rear axle: 2.5 Bar (36 psi)

Note: Tire pressures apply only to Porsche approved tire makes and types. Measure tire pressure only when tires are cold (20° Celsius or 68° Fahrenheit). **Do not underinflate tires.**

ADAPTS TO NORTH AMERICA - 120



Technical Bulletin

Model
911C2/C4

Group
4

Subject: 17 Inch Wheel Approval

Part Identifier
4405

Number
9106

Service Information:

1. When installing 17 inch wheels on 911 Carrera 2/4, the steering stop washers, left and right, **must be replaced** with stop washers Part Number 964 347 325 02 (arrow in Figure 1). Refer to 911 Carrera 2/4 Workshop Manual Volume IV, page 48-3.




Figure 1

2. The bumper cover plastic edge should protrude slightly in the bumper cover to fender joint area. If the fender metal edge protrudes, only the metal edge should be reworked (cut) in the area of the outer mounting screws on the left and right side to ensure adequate tire clearance (arrow in Figure 2). After cutting metal, apply rust prevention paint.




Figure 2

Parts Information:

The following parts are required in addition to the tires:

Wheel rim 7J x 17 AH: Part Number 965 362 124 00

Wheel rim 8J x 17 AH: Part Number 965 362 126 00
(two each required)

Steering stop: Part Number 964 347 325 02 (two required)

Rubber valve: Part Number 900 265 001 50 (four required)

PORSCHE CARS NORTH AMERICA - INC.



